



Fertility

Equipment Overview



MIRI[®] Incubation System

The Top-of-the-Line Features of the MIRI[®] Incubation System

- **Heated Lid**
Prevents condensation. Enhances temperature regulation.
- **Completely Independent Chambers**
Any disruption (e.g., temperature drop after opening the lid) has zero impact on the rest of the system.
- **Direct Heat Transfer**
Provides superior temperature stability
- **Has a built-in gas mixer.**
- **Built-in pH measuring system and data logging system.**

MIRI[®] Time-Lapse Incubator



This equipment is a CE-marked device and is in conformity with the essential requirements of the medical devices EU regulation 2017/745.



Time-Lapse Monitoring

Time-Lapse video monitoring enables detailed scoring of cultured embryos to better predict embryo development and implantation potential.

Comes in Two Variants

- MIRI[®] TL6: Six Individual Chambers.
- MIRI[®] TL12: Twelve Individual Chambers.

A Complete Incubation Environment

- Has a built-in gas mixer (for use of pure gas). Premixed gas is not supported in the system.
- Built-in pH measuring system and data logging system.

Fast Recovery

Gas recovery within three (3) minutes.*
Temperature recovery within one (1) minute.*
*If the lid has not been opened for more than 30 sec.

Two Temperature Mode Options

- Single - Uniform setpoints for all chambers.
- Multi - Individual setpoints for each chamber.

MIRI[®] Multiroom Incubators



MIRI[®]

- The gas in the MIRI[®] is recirculated through a VOC/HEPA Filtration system, which effectively removes Volatile Organic Compounds (VOCs) and particulates larger than 0.3 μm .
- Additionally, the gas is sterilized via a built-in UV light module.



MIRI[®] Humidity

- Built-in passive humidification system.
- The water bottle is located at the back of the unit for easier access.

This equipment is a CE-marked device and is in conformity with the essential requirements of the medical devices EU regulation 2017/745.



MIRI® II-12 Multiroom Incubator



This equipment is a CE-marked device and is in conformity with the essential requirements of the medical devices EU regulation 2017/745.



One patient - One chamber

Dedicates one chamber for one patient to ultimately secure a minimum-stress environment for embryos.

Intuitive and User-Friendly Touchscreen PC

Used to control and monitor important parameters simultaneously.

Small footprint

Space-saving equipment for laboratories.

Mini MIRI® Incubator



Dual Chamber System

Any disruption (e.g. temperature drop after opening the lid) has zero impact on the rest of the system. Furthermore, calibration is much simpler since there is no crossover of heat from adjacent chamber.

Ergonomic Design

- You can write on the glass lid tops for easy patient designation.
- The Mini MIRI® has a large LED display that can be easily seen from a distance.

Built-in Gas Mixer

Premixed gas is not required (but possible to use).

Comes in two models:



Mini MIRI® Humidity

- Built-in passive humidification system.
- The water bottle is located on the side of the unit for easy refilling and control of the water level.



Mini MIRI® Dry

Comes with a UV module and VOC/HEPA filter.

This equipment is a CE-marked device and is in conformity with the essential requirements of the medical devices EU regulation 2017/745.



Choose the Right Companion.



CultureCoin®

A culture dish, exclusively designed for the MIRI® TL

One (1) MIRI® TL chamber can hold one (1) CultureCoin®. Each dish can accommodate up to fourteen (14) embryos, each with a numbered well assignment. The MIRI® TL6 can hold up to 84 embryos, where MIRI® TL12 – up to 168 embryos.



CelCulture® CO₂ Incubator

CelCulture® is equipped with a 90°C Moist Heat Decontamination System evaluated by HPA-UK. This incubator utilizes its ULPA filter to keep the chamber at ISO Class 5 cleanliness. It offers rapid parameter recovery and has ISOCIDE™ antimicrobial coating. It can be fitted with an optional Inner Door Kit (which reduces contamination risk) and other accessories for specialized applications. In addition, it can be set up on a floor stand with casters, a roller base, or a floor stand with adjustable feet.

CelCulture® CO₂ Incubators are available in 3 sizes: 50 L, 170 L, and 240 L.



Esco Multi-Zone ART Workstation

This is the only workstation with built-in incubation chambers and a tri-gas mixer.

Multi-Zone Heating System

One setpoint for up to 12 independent zones per working area with their own heating elements and sensors allows for excellent uniformity.

Less Noise, Less Vibrations

The Esco Multi-Zone ART Workstation's state-of-the-art design and features deliver less noise and less vibrations, which makes it suitable for sensitive microscopic work.

Superior Air Cleanliness

Esco workstations provide ISO Class 3 air cleanliness within the workzone due to compliance with the ISO 14644-1 standard.

Stainless-Steel Table-top

The main material used in the tabletop surface is stainless steel, which ensures its strength and rigidity.



Stereomicroscope

The Esco stereomicroscope is a type of optical microscope that allows the user to see a three-dimensional view of a specimen. This Esco MS-I Stereo Microscope is very useful in assessing oocyte and embryo morphology and viability. It has a built-in camera mount where you can place your camera set for a better viewing and documentation of images. Moreover, additional objective lenses (0,5x, 1,5x, 2x) can be screwed on the microscope head for additional magnification.

Black and White Work Board

Enhances the specimen/sample viewing experience.

PK-Mount and Camera Set

Allows to mount a digital camera which helps the user to take a better look at their specimen.

Adjustable Interpupillary Distance

Enables the user to adjust the space between the eyepieces for a more pleasurable observation.

Vertical Light Source

Adapted for the stereomicroscope, this type of light source enhances everyday embryo and gamete inspections.



MIRI® Laminar Flow Cabinet

The MIRI® Laminar Flow Cabinet has been designed with the capability to maintain a controlled work surface for laboratory applications requiring a clean and sterile workspace, which is achieved through the use of vertical laminar airflow pattern. Clean filtered air travels from the top of the cabinet downwards onto the working surface. Laminar flow cabinets are ideal to be used for our customers who requires a clean and sterile workspace to provide good protection towards the sample.

Key Features

- ULPA Filter (ISO Class 3 Work Zone)
- ISOCIDE™ Antimicrobial Powder Coating
- Built-in Monitor (optional)
- Integrated Microscope Pole
- Outstanding Sample Protection
- Energy Efficient



MIRI® AVT (Anti-Vibration Table)

The MIRI® AVT was designed specifically for micro-manipulation procedures.

The MIRI® AVT has a mechanism for passive dampening that isolates the microscope from vibrations during Intra-Cytoplasmic Sperm Injection (ICSI) procedures.

It is constructed with a stainless steel table-top, making it easy-to-use and almost maintenance-free.



Versati™ Tabletop Centrifuge

Versati™ Tabletop centrifuge stands out among the same-level products with its versatility, running features, and easy handling. It can be used with high-capacity and low-to-high-speed general-purpose centrifuge applications. It is suitable for the sperm purification process during animal IVF because of its adjustable temperature range (-20°C to +40°C).

Key Features

- Compact Design.
- Incredible Flexibility.
- High Temperature Ramp Rate.
- Fast Pre-cooling.
- Overspeed Protection.
- Over Temperature Protection.

Move Forward with Complete Confidence in Life.



MIRI® GA Gas & Temperature Validation Unit

The MIRI® GA is a table-top device designed to make external incubator validation easier and safer.

- Capable of monitoring the temperature (PT1000 connector) as well as gas concentration, flow, and pressure.
- Can validate up to 6 chambers simultaneously 24 hours a day.
- Has an adjustable flow rate which gives it the ability to properly sample small-volume incubation chambers.
- Comes with a full data logger software which is helpful in monitoring each parameter.




MIRI® Evidence

MIRI® Evidence is redefining the way traceability in laboratory procedures is managed and stored in fertility clinics, eliminating errors, preventing system mix-ups, saving time, and helping clinics to

comply with regulations. This IVF traceability tool provides a single, secure platform that ensures all patients are scheduled on time and documented properly - saving time and improving outcomes across the board.

The MIRI® Evidence workflow proposes tools to improve scheduling and documentation procedures, refining both clinical and administrative processes in a fertility clinic.

ESCO LIFESCIENCES GROUP



Esco Medical Products

- MIRI® Multiroom Incubator
- MIRI® Humidity Multiroom Incubator
- MIRI® IL-12 Multiroom Incubator
- Mini MIRI® Dry Incubator
- Mini MIRI® Humidity Incubator
- MIRI® TL6 Time-Lapse Incubator
- MIRI® TL12 Time-Lapse Incubator
- Multi-Zone ART Workstation
- MIRI® Laminar Flow Cabinet
- MIRI® Evidence RFID Traceability System
- CelCulture® CO₂ Incubator
- MIRI® GA (Gas and Temperature Validation Unit)
- MIRI® AVT
- CultureCoin®

Infertility is a problem that has a significant social, psychological, and economic impact on afflicted individuals and couples. It is a global concern that knows no race or creed. It has been estimated that 1 in 6 couples struggle with infertility at least once in their lifetime.

Esco Medical is one of the divisions of the Esco Lifesciences Group. We provide innovative technological solutions for fertility clinics and laboratories. We aim to become the leading manufacturer of high-quality equipment such as long-term embryo incubators, ART workstations, anti-vibration tables, and time-lapse incubators.

Our products are designed with the Silent Embryo Hypothesis as a guiding principle. The Silent Embryo Hypothesis states that the less disturbed an embryo can remain, the better its developmental potential will be. Most of our products are designed in Denmark and made in the EU. Our primary focus is to increase pregnancy success rates and patient satisfaction.



Esco Medical Aps
 Kringelled 10, 8250 Egeaa, Denmark
 medical@escolifesciences.com
www.esco-medical.com

Esco Micro Pte Ltd (Headquarters)
 19 Changi South Street 1, Singapore
 486 779 • Tel +65 6542 0833

Esco Global Offices: Bangladesh | China | Denmark | Germany | Hong Kong | Indonesia | Lithuania | Malaysia | Myanmar | Philippines | Russia | Singapore | South Africa | South Korea | Taiwan | Thailand | UAE | UK | USA | Vietnam

🇩🇰 Designed in Denmark
 🇪🇺 Made in the E.U.

